

TEK 5A- Cell Cycle and Mitosis (1.RS)

(Gap 2)

DNA Replication •DNA Must be copied before cell division occurs

S Phase

Copying of DNA

Chromosomes

Duplicated

G1 Phase

Stage

First Growth

Cell Increases

Copied during S Phase of Cell Cycle

G2 Phase

Time bewteen

DNA synthesis

Cell Continues

Needed proteins

and mitosis

Growing

produced

M Phase

Cell growth

Cell's energy

used to make 2

daughter cells

Called Mitosis

stopped

- •Process is semi -conservative (half new, half old)
- •Helicase enzyme unwinds and separates the DNA
- •DNA polymerase adds free nucleotides the single DNA strands
- •Adenine matches with Thymine, Cytosine matches with Guanine Apple-Tree, Chewing-Gum
- Two identical strands of DNA are created for use in mitosis
- Example: ATTCGATCGAT **TAAGCTAGCTA**

•All cells in the body have all of the DNA except gamete cells


- •Each cell only transcribed and translates the genes it needs
- •Gene expression- genes that are transcribed and translated
- by a cell Factors affecting Expression

TEK 5C- Cell Differentiation (1.SS)

- Internal Factors
- Proteins or hormones within the organism External Factors
- •Temperature changes, supply of oxygen, and available nutrients
- •Pollution and climate factors

TEK 5D- Disruptions of Cell Cycle and Cancer(1.SS)


- •Disruption or loss of control of the cell cycle can lead to cancer
- ·Cancer is the uncontrolled growth and reproduction of cells
- •Uncontrolled growth of cells is a tumor
- •Benign tumors are harmless, malignant or cancerous tumors
- can be deadly



STAAR Biology Semester 2 Review

Created By Nick Dellas LBJ Early College High School

TEK 6C- Transcription and Translation(2.SS) DNA



Transcription

- Process of making mRNA from DNA
- Occurs in the nucleus
- •RNA polymerase enzyme helps to create the mRNA
- •Adenine- Uracil, Cytosine-Guanine
- •Example: DNA- ATC GAT AGC
 - mRNA- UAG CUA UCG

- •mRNA- messenger blueprint, made in nucleus, sets
- •tRNA- transfer RNA, carries amino acids to the anticodons

the middle of the cell Anaphase Chromosomes are seperated toward ends of cell Telophase Separation of chromosomes complete Nuclei reform in new Mitosis TEK 6A- DNA Components (2.RS) DNA-Deoxyribonucleic Acid Guanine •Double Helix- twisted ladder Cytosine D = Deoxyribo (sugar) Made of nucleotides P = Phosphat Nucleotide °°° Hydroger Phosphate group Deoxyribose sugar Nitrogen base Adenine(A) •Thymine(T) •Cytosine(C) Guanine(G) Packaged in chromosomes

DNA Model

Prophase

Metaphase

DNA coils

Chromosomes line up in

Found in nucleus of the cell TEK 6E- Genetic Mutations(2.RS)

Blueprint for your traits

- Occurs during DNA replication Gene mutation changes a single gene
- Only mutations in gametes DNA can be inherited

Туре	Mutation	What happens	Example
Point Mutation	Substitution	One base	CUU changes to CUA

replaced Insertion Base pair is TACGCA→TACAGCA added Frameshift Mutation Base pair is TACGCA→TAGCA Deletion removed

Mitosis

Cytokinesis

Occurs after

separate

Forms two.

daughter cells

identical

chromosomes

- Translation Process of building a protein by matching codons in mRNA to anticodons of tRNA(use the codon chart), occurs in the cells ribosome
- Example: DNA- TAC GAT AGC

mRNA- AUG CUA UCG tRNA- UAC GAU AGC

AA-MET LEU SER

·Amino Acid chain is called a protein or polypeptide

•There are 20 amino acids

•Protein will continue to be created until the mRNA reaches a stop codon

Class (came) Mammalia ·Hair, mammary glands, four-chambered heart Order (over)

TEK 8A-Classification

Levels of Classification of

Kingdom (King) Largest

Multicellular mobile

Phylum (Phillip)

heterotrophic eukartoyes

Nerve chord pharyngeal

(3.SS)

Humans

Animalia

Chordata

Primates

Family (for)

Genus (good)

Homo

digits

Homidae Bipedal, advanced tool

Nails, clavicle, opposable

•"Human" like

Species (soup) (Smallest) Homo sapiens

Binomial nomenclature-

Scientific naming

Genus and species

Italics

Capitalize the genus

First	Second Letter					
Letter	U	С	A	G	Letter	
	phenylalanine	serine	tyrosine	cysteine	U	
u	phenylalanine	serine	tyrosine	cysteine	С	
-	leucine	serine	stop	stop	A	
	leucine	serine	stop	tryptophan	G	
	leucine	proline	histidine	arginine	U	
c	leucine	proline	histidine	arginine	С	
•	leucine	proline	glutamine	arginine	A	
	leucine	proline	glutamine	arginine	G	
A	isoleucine	threonine	asparagine	serine	U	
	isoleucine	threonine	asparagine	serine	С	
	isoleucine	threonine	lysine	arginine	A	
	(start) methionine	threonine	lysine	arginine	G	
	valine	alanine	aspartate	glycine	U	
G	valine	alanine	aspartate	glycine	С	
	valine	alanine	glutamate	glycine	A	
	valine	alanine	glutamate	glycine	G	

Types of RNA

- of three nitrogen bases called codons
- ribosomes, sets of 3 nitrogen bases called
- •rRNA- ribosomal, makes up ribosomes

